



PRODUCT LIST

IDENTIFICATION

	PC PC1013
	NAME PURO SINGLE VERTICAL 600 D120 H980
	TYPE PENDENT LAMP
	COLLECTION PURO SINGLE
	LINE EXCLUSIVE LINE
	DESIGNED BY LUCIE KOLDOVÁ
DIMENSIONS (MM) 120 x 980 x - x -	

CHARACTERISTIC

FEATURES

PURO IS A BOLDLY MINIMALISTIC VARIATION ON ATMOSPHERIC PENDANT LIGHTS. INSPIRATION FOR THE COLLECTION AND ITS NAME COME FROM THE SPANISH WORD FOR "CIGAR", WHICH ALSO MEANS "PURE" AND IS A REFERENCE TO THE COMPOSITION'S CLEAN LINES. THE PURO COLLECTION COMPRISES OF SINGLE VERTICAL OR HORIZONTAL TUBE OR A SINGLE BELL LIGHT SUSPENDED BENEATH A VERTICAL TUBE AND DUAL BELL LIGHTS SUSPENDED BENEATH A HORIZONTAL TUBE. THE DIFFUSED GLOW OF THE TUBES COMBINES WITH THAT OF THE BELLS TO ELICIT A DYNAMIC AMBIENCE, WHILE THE ALTERNATING GLOSS AND MATTE FINISHES PROVIDE A DEGREE OF PROVOCATION. WHEN STANDING ALONE AS SINGLE TUBES, AMAZING INSTALLATIONS CAN BE CREATED, SUCH AS A COMPOSITION OF TUBES COUPLED TO A SCREEN DIVIDING SPACE AND EVOKING AN INTIMATE ATMOSPHERE BORDERING ON SCENOGRAPHY. PURO OFFERS ATMOSPHERIC ROOM LIGHTING AS WELL AS LIGHTING FOR OFFICES, HOSPITALITY INTERIORS, BOUTIQUES, SHOWROOMS AND PRIVATE DINING AREAS.

TECHNOLOGY

THE CRAFTSMANSHIP APPLIED IN PRODUCTION FOLLOWS IN THE CENTURIES-OLD TRADITION AND EXPERIENCE OF MASTER GLASSMAKERS. THE PRECISION CRAFTING OF HAND-BLOWN GLASS INSTILLS DISTINCTIVE, ENDURING CHARACTER AND OUTSTANDING QUALITY IN ALL BROKIS PRODUCTS. THE GLASS SHADES ARE FORMED FROM MULTIPLE LAYERS OF MOLTEN GLASS, EACH OF WHICH IS SCRUTINIZED BY THE MASTER GLASSMAKER PRIOR TO BEING BLOWN INTO THE MOLD. UP TO 70% OF THE RESULTING QUALITY IS ACHIEVED IN THIS STAGE OF PRODUCTION. THE METAL REFLECTOR IS MANUFACTURED THROUGH A UNIQUE METAL STAMPING TECHNIQUE THAT HAS BEEN PROVEN OVER THE COURSE OF MILLENNIA AND INVOLVES SPINNING COLD SHEET METAL ON A ROTATING FORM. THE HISTORY OF THIS TECHNOLOGY GOES BACK TO CELTIC TIMES. AS WITH THE GLASSMAKERS, THE MASTER METALWORKERS DRAW UPON THE TRADITION AND EXPERIENCE THAT HAVE BEEN CAREFULLY PASSED DOWN THROUGH THE AGES AND GIVE THE FINAL PRODUCT EXCEPTIONAL ADDED VALUE.



PRODUCT LIST

PRODUCT CLASSIFICATION

PURO SINGLE	VERTICAL 600		PC1013
GLASS COLOUR	BAS	DARK GREY - OPALINE	CGC1507 •
GLASS COLOUR	BAS	TRIPLEX OPAL	CGC39 •
GLASS SURFACE	BAS	ACID-ETCHED BOTH SIDE SURFACE (BEFORE CGSU67)	CGSU881
COLOUR OF THE BOTTOM PART	BAS	WITHOUT BOTTOM GLASS	CGGB2668
COLOUR OF THE BOTTOM PART	STA	SMOKE GREY - TRANSPARENT GLASS	CGGB977 •
COLOUR OF THE BOTTOM PART	STA	TRANSPARENT GLASS	CGGB812 •
COLOUR OF THE BOTTOM PART	STA	TRIPLEX OPAL	CGGB979 •
GLASS SURFACE OF THE BOTTOM PART	STA	GLOSSY SURFACE	CGSUB890
GLASS SURFACE OF THE BOTTOM PART	STA	ACID-ETCHED BOTH SIDE SURFACE	CGSUB891
SURFACE FINISH	BAS	IRON - WHITE MATT POWDER COATING	CCS845 •
SURFACE FINISH	BAS	IRON - BLACK MATT POWDER COATING	CCS846 •
CANOPY SURFACE FINISH	BAS	IRON - WHITE MATT POWDER COATING	CCSC618
CANOPY SURFACE FINISH	BAS	IRON - BLACK MATT POWDER COATING	CCSC619
CONNECTION METHOD	BAS	BROKIS CONECTOR	CCM1019
CABLE COLOUR	BAS	TEXTILE CABLE - WHITE	CECL521 •
CABLE COLOUR	BAS	TEXTILE CABLE - BLACK	CECL519 •
BULBS	BAS	600MM 24V, LED, 9,5W, 2700K, 547LM, RA80+, DIM	CEB1926
BULBS	BAS	600MM 24V, LED, 9,5W, 4000K, 672LM, RA80+, DIM	CEB1927
BULBS	BAS	600MM 24V, LED, 9,5W, 5000K, 711LM, RA80+, DIM	CEB1928
BULB OF THE BOTTOM PART	BAS	24V, LED, 3W, E27, 2200K, 240LM, RA90, DIM	CEBBP1031
DIMMABLE VERSION	BAS	1-10V	CEDV1460
DIMMABLE VERSION	BAS	AC PHASE-CUT	CEDV1730
DIMMABLE VERSION	BAS	DALI VERSION	CEDV1458
DIMMABLE VERSION	BAS	NON-DIMMABLE VERSION	CEDV1457
DIMMABLE VERSION	BAS	PWM SIGNAL	CEDV1459
DIMMABLE VERSION	BAS	RF SYSTEM - STANDARD DIMMABLE VERSION	CEDV1461
SCREW CAP	ALL	E27 - NICKEL SOCKET	CESC338
SCREW CAP	ALL	NON-USER REPLACEABLE LIGHT SOURCE	CESC2488
POWER VOLTAGE (VAC)	ALL	90-305VAC	PV2528
STANDARTS	ALL	CE	CEC160
STANDARTS	ALL	EN 60598-1 ED.6:2015	CEC569
STANDARTS	ALL	EN 60598-2-1:1997	CEC568
STANDARTS	ALL	IEC 60598-1:2014	CEC2471
STANDARTS	ALL	IEC 60598-2-1:1979+ A1:1987	CEC2472

