


PRODUCT LIST

IDENTIFICATION

	PC PC976
	NAME SHADOWS XL . D152 H195
	TYPE PENDENT LAMP
	COLLECTION SHADOWS XL
	LINE EXCLUSIVE LINE
	DESIGNED BY LUCIE KOLDOVÁ, DAN YEFFET



DIMENSIONS (MM)
152 x 195 x - x -


CHARACTERISTIC

FEATURES

THE CONTOURS OF THE SHADOWS XL COLLECTION STAY TRUE TO THE ORIGINAL SHADOWS COLLECTION, BUT ARE NEARLY 50% BOLDER IN THEIR PROPORTIONS. THE COLLECTION IS A TAKE ON THE FAMED, TIMELESS LIGHTS FOUND IN FRENCH ATELIERS, AND ITS TYPOLOGY PAYS TRIBUTE TO THAT LEGACY. THE COMBINATION OF HANDBLOWN GLASS, HANDCRAFTED WOOD, AND CLASSIC SHAPING HAS GIVEN RISE TO A LIGHT OF AGELESS ELEGANCE. SHADOWS XL COMPRISES FOUR DIFFERENT SUSPENSION LIGHTS, WHICH FULFILL THEIR ROLE BOTH INDEPENDENTLY AND IN SETS. THE INDIVIDUAL LIGHTS ARE CHARACTERIZED BY A HANDBLOWN GLASS SHADE MOUNTED ON A HAND-SANDED WOODEN BODY. THE CLEAN CONTOURS AND FINISH ARE UNDERLINED BY THE CONCEALED LIGHT SOURCE. THE SHADOWS COLLECTION IS SPECIAL FOR ITS WIDE SPECTRUM OF GLASS COLOUR OPTIONS, SURFACE FINISHES, AND TYPES OF WOOD. THE COLLECTION IS INTENDED FOR INTERIOR INSTALLATION AND, THANKS TO MULTIPLE COMBINATION POSSIBILITIES, IS WELL SUITED TO A BROAD RANGE OF INSTALLATIONS. SHADOWS HAVE SPECIAL INTEGRATED CONNECTORS DEVELOPED BY BROKIS TO FACILITATE INSTALLATION AND CLEANING.

TECHNOLOGY


THE CRAFTSMANSHIP APPLIED IN PRODUCTION FOLLOWS IN THE CENTURIES-OLD TRADITION AND EXPERIENCE OF MASTER GLASSMAKERS. THE PRECISION CRAFTING OF HAND-BLOWN GLASS INSTILLS DISTINCTIVE, ENDURING CHARACTER AND OUTSTANDING QUALITY IN ALL BROKIS PRODUCTS. THE GLASS SHADES ARE FORMED FROM MULTIPLE LAYERS OF MOLTEN GLASS, EACH OF WHICH IS SCRUTINIZED BY THE MASTER GLASSMAKER PRIOR TO BEING BLOWN INTO THE MOLD. UP TO 70% OF THE RESULTING QUALITY IS ACHIEVED IN THIS STAGE OF PRODUCTION. NO LESS ATTENTION TO DETAIL IS PAID IN HANDCRAFTING THE WOODEN ELEMENTS OF THE LIGHT. EACH PIECE IS INDIVIDUALLY PROCESSED BY THE ARTISAN IN A SERIES OF STRICTLY OBSERVED PRODUCTION STAGES. WE TAKE SPECIAL CARE IN SELECTING QUALITY FINE WOOD AND ECOLOGICALLY FRIENDLY MATERIALS TO TREAT IT WITH.



PRODUCT LIST

PRODUCT CLASSIFICATION

SHADOWS XL			PC976
GLASS COLOUR	BAS	BLACK - TRANSPARENT GLASS	CGC602
GLASS COLOUR	BAS	SMOKE BROWN - TRANSPARENT GLASS	CGC538
GLASS COLOUR	BAS	OPALINE - TRANSPARENT GLASS	CGC38
GLASS COLOUR	BAS	PEARL GREY - OPALINE GLASS	CGC1916
GLASS COLOUR	BAS	SMOKE GREY - TRANSPARENT GLASS	CGC516
GLASS COLOUR	BAS	TRANSPARENT GLASS	CGC23
GLASS COLOUR	BAS	TRIPLEX OPAL	CGC39
GLASS SURFACE	ALL	GLOSSY SURFACE	CGSU66
GLASS SURFACE	ALL	ACID-ETCHED OUTSIDE SURFACE	CGSU67
SURFACE FINISH	BAS	EUROPEAN OAK - CLEAR COAT	CCS972
SURFACE FINISH	BAS	EUROPEAN OAK - STAINED WHITE	CCS680
SURFACE FINISH	BAS	EUROPEAN OAK - STAINED BLACK	CCS592
SURFACE FINISH	BAS	EUROPEAN OAK - UNTREATED	CCS657
SURFACE FINISH	BAS	EUROPEAN OAK - NATURAL WAXED	CCS518
SURFACE FINISH	STA	AMERICAN WALNUT - NATURAL WAXED	CCS757
CANOPY SURFACE FINISH	BAS	EUROPEAN OAK - CLEAR COAT	CCSC976
CANOPY SURFACE FINISH	BAS	EUROPEAN OAK - STAINED WHITE	CCSC838
CANOPY SURFACE FINISH	BAS	EUROPEAN OAK - STAINED BLACK	CCSC839
CANOPY SURFACE FINISH	BAS	EUROPEAN OAK - UNTREATED	CCSC840
CANOPY SURFACE FINISH	BAS	EUROPEAN OAK - NATURAL WAXED	CCSC841
CANOPY SURFACE FINISH	STA	AMERICAN WALNUT - NATURAL WAXED	CCSC842
CABLE COLOUR	BAS	TEXTILE CABLE - WHITE	CECL521
CABLE COLOUR	BAS	TEXTILE CABLE - WHITE US	CECL835
CABLE COLOUR	BAS	TEXTILE CABLE - BLACK	CECL519
CABLE COLOUR	BAS	TEXTILE CABLE - BLACK US	CECL834
CABLE COLOUR	BAS	TEXTILE CABLE - RED	CECL530
CABLE COLOUR	BAS	TEXTILE CABLE - LIGHT GREY	CECL1918
CABLE COLOUR	BAS	TEXTILE CABLE - DARK GREY	CECL520
CABLE COLOUR	BAS	TEXTILE CABLE - YELLOW	CECL606
LENGTH OF CABLE	BAS	2,2 M	CLC1935
LENGTH OF CABLE	EXT	2,2 - 5 M	CLC1936
LENGTH OF CABLE	EXT	> 5M - CABLE LENGTHS OVER 5M MUST BE APPROVED AND QUOTED BY BROKIS INDIVIDUALLY. AT THE SAME TIME, THE CUSTOMER HAS TO	CLC1937
BULBS	BAS	110V, E26, 13W, 2700K, 700LM, RA90, 60°, DIM	CEB850
BULBS	BAS	230V, E27, 13W, 2700K, 700LM, RA90, 60°, DIM	CEB621
SCREW CAP	ALL	E27 - NICKEL SOCKET	CESC338
POWER VOLTAGE (VAC)	ALL	230VAC	PV2493
STANDARTS	ALL	CE	CEC160
STANDARTS	ALL	EN 60598-1 ED.6:2015	CEC569
STANDARTS	ALL	EN 60598-2-1:1997	CEC568
STANDARTS	ALL	IEC 60598-1:2014	CEC2471
STANDARTS	ALL	IEC 60598-2-1:1979+ A1:1987	CEC2472



PRODUCT LIST

